

ITM



TRÉPANS CARBURE SDS-PLUS À PAROI MINCE VENDUS EN ENSEMBLE COMPLET



| #PRODUIT | DESCRIPTION | LISTE |
|----------|-----------------------|-----------|
| EXA-25 | 1" (25mm) EXACTO | 428,12\$ |
| EXA-29 | 1-1/8" (29mm) EXACTO | 444,77\$ |
| EXA-32 | 1-1/4" (32mm) EXACTO | 475,03\$ |
| EXA-35 | 1-3/8" (35mm) EXACTO | 508,37\$ |
| EXA-38 | 1-1/2" (38mm) EXACTO | 545,01\$ |
| EXA-45 | 1-3/4" (45mm) EXACTO | 622,60\$ |
| EXA-50 | 2" (50mm) EXACTO | 649,46\$ |
| EXA-55 | 2-1/8" (55mm) EXACTO | 672,47\$ |
| EXA-65 | 2-9/16" (65mm) EXACTO | 742,73\$ |
| EXA-80 | 3-1/8" (80mm) EXACTO | 862,88\$ |
| EXA-90 | 3-1/2" (90mm) EXACTO | 956,57\$ |
| EXA-100 | 3-7/8" (100mm) EXACTO | 1043,34\$ |



L'ENSEMBLE COMPLET INCLUS



POINTE DE CENTRAGE

TRÉPAN ET PLAQUE DE GUIDAGE

RALLONGE SDS-PLUS



998 Jean-Neveu, Longueuil, Qc J4G 2M1
 ☎ : 450-442-4232 / 1-800-442-2535 📠 : 450-442-9212
 📧 : ventes@mascoutech.com


www.
 mascoutech
 .com



X-CUTTER *DRILLS REINFORCED CONCRETE!*

Spline Drive Rotary Hammer Drills

| Part # | Size | X | OAL | Drilling | Head |
|-----------|--------|---|-----|----------|----------|
| 7SPCR1058 | 5/8" | X | 10" | 6" | X-CUTTER |
| 7SPCR1658 | 5/8" | X | 16" | 11" | X-CUTTER |
| 7SPCR2258 | 5/8" | X | 22" | 17" | X-CUTTER |
| 7SPCR2958 | 5/8" | X | 29" | 24" | X-CUTTER |
| 7SPCR3658 | 5/8" | X | 36" | 31" | X-CUTTER |
| 7SPCR1034 | 3/4" | X | 10" | 6" | X-CUTTER |
| 7SPCR1634 | 3/4" | X | 16" | 11" | X-CUTTER |
| 7SPCR2234 | 3/4" | X | 22" | 17" | X-CUTTER |
| 7SPCR2934 | 3/4" | X | 29" | 24" | X-CUTTER |
| 7SPCR3634 | 3/4" | X | 36" | 31" | X-CUTTER |
| 7SPCR1678 | 7/8" | X | 16" | 11" | X-CUTTER |
| 7SPCR2278 | 7/8" | X | 22" | 17" | X-CUTTER |
| 7SPCR1601 | 1" | X | 16" | 11" | X-CUTTER |
| 7SPCR2201 | 1" | X | 22" | 17" | X-CUTTER |
| 7SPCR3601 | 1" | X | 36" | 31" | X-CUTTER |
| 7SPCR1618 | 1-1/8" | X | 16" | 11" | X-CUTTER |
| 7SPCR2218 | 1-1/8" | X | 22" | 17" | X-CUTTER |
| 7SPCR1614 | 1-1/4" | X | 16" | 11" | X-CUTTER |
| 7SPCR2214 | 1-1/4" | X | 22" | 17" | X-CUTTER |
| 7SPCR2914 | 1-1/4" | X | 29" | 24" | X-CUTTER |
| 7SPCR3614 | 1-1/4" | X | 36" | 31" | X-CUTTER |
| 7SPCR1638 | 1-3/8" | X | 16" | 11" | X-CUTTER |
| 7SPCR2238 | 1-3/8" | X | 22" | 17" | X-CUTTER |
| 7SPCR2212 | 1-1/2" | X | 22" | 17" | X-CUTTER |
| 7SPCR3423 | 1-3/4" | X | 23" | 18" | X-CUTTER |



- ◆ Rotary Hammer Drill
- ◆ Industrial Quality
- ◆ 4-Cutter Head
- ◆ Special Tungsten Carbide Tip
- ◆ Copper / Silver Brazing
- ◆ Fastest Dust Removal
- ◆ Fastest Drilling Speeds
- ◆ Heat Treated Body
- ◆ Clean Round Holes
- ◆ Less Vibration
- ◆ Polished Finish
- ◆ ANSI Specification

- Reinforced Concrete
- Brick
- Stone
- Masonry
- Aggregates



SOLD INDIVIDUALLY
1 PER TUBE.



SDS-MAX® Tunnel Bore Drills

- ◆ Industrial Quality
 - ◆ 1 Piece Construction
 - ◆ Special Tungsten Carbide Tip
 - ◆ Copper / Silver Brazing
 - ◆ Fast Drilling Speed
 - ◆ Clean Round Holes
 - ◆ Less Vibration
 - ◆ Polished Finish
- Concrete
 - Brick
 - Stone
 - Masonry
 - Aggregates




| Part # | Size | X | OAL | Shank |
|-----------|--------|---|---------|---------|
| 950CC7330 | 1-1/2" | X | 12-1/4" | SDS-MAX |
| 950CC7331 | 1-1/2" | X | 22" | SDS-MAX |
| 950CC7332 | 1-3/4" | X | 12-1/4" | SDS-MAX |
| 950CC7333 | 1-3/4" | X | 22" | SDS-MAX |
| 950CC7342 | 1-3/4" | X | 39" | SDS-MAX |
| 950CC7336 | 2-1/8" | X | 12-1/4" | SDS-MAX |
| 950CC7337 | 2-1/8" | X | 22" | SDS-MAX |
| 950CC7343 | 2-1/8" | X | 39" | SDS-MAX |
| 950CC7338 | 2-1/2" | X | 12-1/4" | SDS-MAX |
| 950CC7339 | 2-1/2" | X | 22" | SDS-MAX |
| 950CC7344 | 2-1/2" | X | 39" | SDS-MAX |
| 950CC7340 | 3-1/8" | X | 12-1/4" | SDS-MAX |
| 950CC7341 | 3-1/8" | X | 22" | SDS-MAX |
| 950CC7345 | 3-1/8" | X | 39" | SDS-MAX |




Extensions on Page 94.

SOLD INDIVIDUALLY.
1 PER TUBE.



Adapters

| Part # | Description | OAL |
|----------|-----------------|-----|
| 800RA010 | SPLINE ADAPTER | 7" |
| 800RA020 | SDS-MAX ADAPTER | 7" |



◆ 5/8" - 11 Internal Thread

Pilot Drills

| Part # | Description |
|----------|---------------------|
| 800RP124 | 5/8" X 4-3/4" PILOT |
| 800RP174 | 5/8" X 6-3/4" PILOT |
| 800RP255 | 1/2" X 6" PILOT |



- RECOMMENDED.
- BETTER FOR DEEP DRILLING.
- FOR RATIO CORE BIT ONLY!!!

- ◆ Modular System
- ◆ Up to 6" Diameter
- ◆ Allows for Angle Drilling
- ◆ Use With or Without Spiral Flute
- ◆ Adapters Accommodate Any Combination
- ◆ Unmatched Flexibility



Cruciform™ Drill Heads

| Part # | Description | OAL |
|----------|-------------------|--------|
| 800RC040 | 1-1/2" DRILL HEAD | 1-1/2" |
| 800RC045 | 1-3/4" DRILL HEAD | 1-1/2" |
| 800RC052 | 2" DRILL HEAD | 1-1/2" |
| 800RC065 | 2-5/8" DRILL HEAD | 1-1/2" |
| 800RC080 | 3-1/8" DRILL HEAD | 1-1/2" |
| 800RC090 | 3-1/2" DRILL HEAD | 1-1/2" |
| 800RC100 | 4" DRILL HEAD | 1-1/2" |
| 800RC110 | 4-1/2" DRILL HEAD | 1-1/2" |
| 800RC125 | 5" DRILL HEAD | 1-1/2" |
| 800RC150 | 6" DRILL HEAD | 1-1/2" |



Replacement Coupler
5/8" - 11 X 2" OAL
800RT001 List \$18.87

Extensions

| Part # | Description |
|----------|--------------------|
| 800RE300 | 11" LONG EXTENSION |
| 800RE450 | 18" LONG EXTENSION |



Hard Body Spiral Flutes

| Part # | Description | OAL |
|----------|--------------|-----|
| 800RF145 | 1-1/2" FLUTE | 4" |
| 800RF145 | 1-3/4" FLUTE | 4" |
| 800RF152 | 2" FLUTE | 4" |
| 800RF165 | 2-5/8" FLUTE | 4" |
| 800RF180 | 3-1/8" FLUTE | 4" |
| 800RF180 | 3-1/2" FLUTE | 4" |



- Same flute fits 1-1/2" & 1-3/4"
- Same flute fits 3-1/8" & 3-1/2"

Ratio Core Bits - INTERNAL THREAD

| Part # | Description | OAL |
|----------|-----------------|-----|
| 800RK150 | 1-1/2" CORE BIT | 3" |
| 800RK200 | 2" CORE BIT | 3" |
| 800RK250 | 2-1/2" CORE BIT | 3" |
| 800RK300 | 3" CORE BIT | 3" |
| 800RK350 | 3-1/2" CORE BIT | 3" |
| 800RK400 | 4" CORE BIT | 3" |
| 800RK450 | 4-1/2" CORE BIT | 3" |
| 800RK500 | 5" CORE BIT | 3" |
| 800RK600 | 6" CORE BIT | 3" |



USE PILOT DRILL
800RP255 ONLY!!!



i All parts sold separately. Drilling through REBAR will cause damage to system.