



Phillips

PHILLIPS POINT #	SHEET METAL SCREWS	WOOD SCREWS		MACHINE SCREWS		
	FLAT, ROUND, OVAL STOVE BINDING	FLAT, OVAL	ROUND	FLAT, OVAL BINDING	ROUND, FILLISTER	TRUSS, BRAZIER BUTTON
0	0, 1	0, 1	0, 1	0, 1	0, 1	0, 1
1	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4, 5
2	5, 6, 7, 8, 10	5, 6, 7, 8, 9	5, 6, 7, 8, 9, 10	5, 6, 8, 10	5, 6, 8, 10	6, 8, 10
3	12, 14	10, 12, 14, 16	12, 14, 16	12, 1/4"	12, 1/4", 5/16"	12, 1/4"

Slotted

SLOTTED POINT #	SCREW SIZE	SLOT SCREW WIDTH		THREAD DIA.	MAXIMUM HEAD DIAMETER					
		MIN.	MAX.		FLAT or OVAL HEAD	ROUND HEAD	FILLISTER HEAD	BINDING HEAD	PAN HEAD	TRUSS HEAD
4-5	3	.027	.035	.099	.199	.187	.161	.208	.193	.226
4-5	4	.031	.039	.112	.225	.211	.183	.235	.219	.257
6-8	5	.035	.043	.125	.252	.236	.205	.263	.245	.289
8-10	6	.039	.048	.138	.279	.260	.226	.290	.270	.321
10-12	8	.045	.054	.164	.332	.309	.270	.344	.322	.384

Square

SQUARE POINT #	TAPPING SCREWS	WOOD SCREWS	MACHINE SCREWS
0	3, 4	3, 4	3, 4
1	5, 6, 7	5, 6, 7	5, 6
2	8, 10	8, 9, 10	8, 10
3	12, 14	12, 14	12, 14

Star **FOR TORX® SCREWS.**

SCREW SIZE	THREAD DIA.	INTERNAL TORX WASHER HEAD	PAN HEAD	FLAT HEAD	HEX HEAD	TRUSS HEAD	FILLISTER HEAD	OVAL HEAD	SOCKET HEAD CAP	SOCKET SET SCREW
2	.086	T7	T7	T6						
3	.099	T8	T8	T7						
4	.112	T9	T9	T8	T9		T9		T10	T6
5	.125	T10	T10	T9	T10		T10	T10	T10	T7
6	.138	T15	T15	T10	T15	T10	T15	T15	T15	T7
8	.164	T20	T20	T15	T20	T15	T20	T20	T25	T8
10	.190	T25	T25	T20	T25	T20	T25	T25	T27	T10
12	.216	T27	T27	T25	T27	T25	T27	T27	T27	T10
1/4"	.250	T30	T30	T27	T30	T27	T30	T30	T30	T20
5/16"	.312			T40	T40	T40	T340	T40	T45	T27
3/8"	.375		T45	T40	T45	T45	T45	T45	T50	T30
7/16"	.437		T50	T50		T45	T50	T50	T55	T40
1/2"	.500		T55	T50		T50	T55	T50	T55	T45



**STAINLESS STEEL
SHAFT**



**1/4" Drive & 5/16" Drive Magnetic Screwdrivers
With Insert Bit Storage Handles. BITS NOT INCLUDED.**

Part #	Drive	Description	
HH-08-001	1/4"	8" MAGNETIC STORAGE HANDLE	
HH-08-002	5/16"	8" MAGNETIC STORAGE HANDLE	



Insert Bit Countertop Dispenser

Part #	Type	Qty.
BITDIS	EMPTY DISPLAY	1

- ◆ Sold Empty
- ◆ Make Your Own Assortment
- ◆ Display Made In Canada



KEEP YOUR INSERT BITS AND NUT SETTERS SAFE AND ORGANIZED.





Phillips® Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-025-00	#0 X 1"		PHILLIPS INSERT	25
T3-025-01	#1 X 1"		PHILLIPS INSERT	25
T3-025-02	#2 X 1"		PHILLIPS INSERT	25
T3-025-03	#3 X 1"		PHILLIPS INSERT	25
T3-025-04	#4 X 1"		PHILLIPS INSERT	25



Reduced Body

Phillips® Drywall Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-025-1W	#1 X 1"		PHILLIPS DRYWALL	25
T3-025-2W	#2 X 1"		PHILLIPS DRYWALL	25



Phillips® Insert Bits - 5/16" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-032-01	#1 X 1-1/4"		PHILLIPS INSERT	25
T3-032-02	#2 X 1-1/4"		PHILLIPS INSERT	25
T3-032-03	#3 X 1-1/4"		PHILLIPS INSERT	25



Phillips® Stopper - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
SP-025-2P	#2 X 1"		PHILLIPS STOPPER	25



Phillips® ACR® Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
ACR-025-01	#1 X 1"		PHILLIPS ACR INSERT	25
ACR-025-02	#2 X 1"		PHILLIPS ACR INSERT	25
ACR-025-03	#3 X 1"		PHILLIPS ACR INSERT	25



Phillips® Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-050-01	#1 X 2"		PHILLIPS POWER	25
T3-070-01	#1 X 2-3/4"		PHILLIPS POWER	25
T3-075-01	#1 X 3"		PHILLIPS POWER	25
T3-090-01	#1 X 3-1/2"		PHILLIPS POWER	25
T3-100-01	#1 X 4"		PHILLIPS POWER	25
T3-125-01	#1 X 5"		PHILLIPS POWER	25
T3-150-01	#1 X 6"		PHILLIPS POWER	25
T3-050-02	#2 X 2"		PHILLIPS POWER	25
T3-070-02	#2 X 2-3/4"		PHILLIPS POWER	25
T3-075-02	#2 X 3"		PHILLIPS POWER	25
T3-090-02	#2 X 3-1/2"		PHILLIPS POWER	25
T3-100-02	#2 X 4"		PHILLIPS POWER	25
T3-125-02	#2 X 5"		PHILLIPS POWER	25
T3-150-02	#2 X 6"		PHILLIPS POWER	25
T3-050-03	#3 X 2"		PHILLIPS POWER	25
T3-070-03	#3 X 2-3/4"		PHILLIPS POWER	25
T3-075-03	#3 X 3"		PHILLIPS POWER	25
T3-090-03	#3 X 3-1/2"		PHILLIPS POWER	25
T3-100-03	#3 X 4"		PHILLIPS POWER	25
T3-125-03	#3 X 5"		PHILLIPS POWER	25
T3-150-03	#3 X 6"		PHILLIPS POWER	25



Reduced Body

Phillips® Drywall Bits

Part #	Size	OAL	Type	Qty.
T3-050-2W	#2 X 2"		PHILLIPS DRYWALL	25
T3-070-2W	#2 X 2-3/4"		PHILLIPS DRYWALL	25
T3-090-2W	#2 X 3-1/2"		PHILLIPS DRYWALL	25



Phillips® ACR® Power Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
ACR-050-01	#1 X 2"		PHILLIPS ACR POWER	25
ACR-050-02	#2 X 2"		PHILLIPS ACR POWER	25
ACR-050-03	#3 X 2"		PHILLIPS ACR POWER	25



For Torx® Screws

Star Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
TX-025-06	T6 X	1"	STAR INSERT	25
TX-025-07	T7 X	1"	STAR INSERT	25
TX-025-08	T8 X	1"	STAR INSERT	25
TX-025-09	T9 X	1"	STAR INSERT	25
TX-025-10	T10 X	1"	STAR INSERT	25
TX-025-15	T15 X	1"	STAR INSERT	25
TX-025-20	T20 X	1"	STAR INSERT	25
TX-025-25	T25 X	1"	STAR INSERT	25
TX-025-27	T27 X	1"	STAR INSERT	25
TX-025-30	T30 X	1"	STAR INSERT	25
TX-025-40	T40 X	1"	STAR INSERT	25



Square Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-R25-00	#0 X	1"	SQUARE INSERT	25
T3-R25-01	#1 X	1"	SQUARE INSERT	25
T3-R25-02	#2 X	1"	SQUARE INSERT	25
T3-R25-03	#3 X	1"	SQUARE INSERT	25



For Torx® Screws

Star Power Bits - 5/16" Hex Shank

Part #	Size	OAL	Type	Qty.
TX-032-30	T30 X	1-1/4"	STAR POWER	25
TX-032-40	T40 X	1-1/4"	STAR POWER	25
TX-032-45	T45 X	1-1/4"	STAR POWER	25
TX-032-50	T50 X	1-1/4"	STAR POWER	25
TX-032-55	T55 X	1-1/4"	STAR POWER	25



For Torx® Screws

Star Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
TX-050-10	T10 X	2"	STAR POWER	25
TX-050-10	T10 X	6"	STAR POWER	25
TX-050-15	T15 X	2"	STAR POWER	25
TX-050-15	T15 X	6"	STAR POWER	25
TX-050-20	T20 X	2"	STAR POWER	25
TX-050-20	T20 X	6"	STAR POWER	25
TX-050-25	T25 X	2"	STAR POWER	25
TX-050-25	T25 X	6"	STAR POWER	25
TX-050-27	T27 X	2"	STAR POWER	25
TX-050-27	T27 X	6"	STAR POWER	25
TX-050-30	T30 X	2"	STAR POWER	25
TX-050-30	T30 X	6"	STAR POWER	25
TX-050-40	T40 X	2"	STAR POWER	25
TX-050-40	T40 X	6"	STAR POWER	25



Square Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-R50-01	#1 X	2"	SQUARE POWER	25
T3-R70-01	#1 X	2-3/4"	SQUARE POWER	25
T3-R75-01	#1 X	3"	SQUARE POWER	25
T3-R90-01	#1 X	3-1/2"	SQUARE POWER	25
T3-R10-01	#1 X	4"	SQUARE POWER	25
T3-R12-01	#1 X	5"	SQUARE POWER	25
T3-R15-01	#1 X	6"	SQUARE POWER	25
T3-R50-02	#2 X	2"	SQUARE POWER	25
T3-R70-02	#2 X	2-3/4"	SQUARE POWER	25
T3-R75-02	#2 X	3"	SQUARE POWER	25
T3-R90-02	#2 X	3-1/2"	SQUARE POWER	25
T3-R10-02	#2 X	4"	SQUARE POWER	25
T3-R12-02	#2 X	5"	SQUARE POWER	25
T3-R15-02	#2 X	6"	SQUARE POWER	25
T3-R50-03	#3 X	2"	SQUARE POWER	25
T3-R70-03	#3 X	2-3/4"	SQUARE POWER	25
T3-R75-03	#3 X	3"	SQUARE POWER	25
T3-R90-03	#3 X	3-1/2"	SQUARE POWER	25
T3-R10-03	#3 X	4"	SQUARE POWER	25
T3-R12-03	#3 X	5"	SQUARE POWER	25
T3-R15-03	#3 X	6"	SQUARE POWER	25



- ◆ S2 Modified Steel
- ◆ Rc. 58-62 Heat Treated
- ◆ German Grade Steel



Pozidriv® Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
PZ-025-01	#1 X 1"		POZIDRIV INSERT	25
PZ-025-02	#2 X 1"		POZIDRIV INSERT	25
PZ-025-03	#3 X 1"		POZIDRIV INSERT	25



Pozidriv® Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
PZ-050-01	#1 X 2"		POZIDRIV POWER	25
PZ-050-02	#2 X 2"		POZIDRIV POWER	25
PZ-075-02	#2 X 3"		POZIDRIV POWER	25
PZ-050-03	#3 X 2"		POZIDRIV POWER	25



Slotted Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
ST-025-04	#4-5 X 1"		SLOTTED INSERT	25
ST-025-08	#6-8 X 1"		SLOTTED INSERT	25
ST-025-10	#8-10 X 1"		SLOTTED INSERT	25
ST-025-12	#10-12 X 1"		SLOTTED INSERT	25



Slotted Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
ST-050-04	#4-5 X 2"		SLOTTED POWER	25
ST-050-08	#6-8 X 2"		SLOTTED POWER	25
ST-050-10	#8-10 X 2"		SLOTTED POWER	25
ST-070-10	#8-10 X 3"		SLOTTED POWER	25
ST-090-10	#8-10 X 3-1/2"		SLOTTED POWER	25
ST-050-12	#10-12 X 2"		SLOTTED POWER	25



Hex Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
HE-25-564	5/64" X 1"		HEX INSERT	25
HE-25-332	3/32" X 1"		HEX INSERT	25
HE-25-764	7/64" X 1"		HEX INSERT	25
HE-25-864	1/8" X 1"		HEX INSERT	25
HE-25-532	5/32" X 1"		HEX INSERT	25
HE-25-316	3/16" X 1"		HEX INSERT	25



Hex Insert Bits - 5/16" Hex Shank

Part #	Size	OAL	Type	Qty.
HE-32-316	3/16" X 1-1/4"		HEX INSERT	25
HE-32-732	7/32" X 1-1/4"		HEX INSERT	25
HE-32-014	1/4" X 1-1/4"		HEX INSERT	25



Double End Bits - 1/4" Hex Shank

Part #	Size	Qty.
DW-050-22	#2 PHILLIPS / #2 PHILLIPS	25
DW-050-26	#2 PHILLIPS / #6-8 SLOTTED	25
DW-050-28	#2 PHILLIPS / #8-10 SLOTTED	25



- ◆ S2 Modified Steel
- ◆ Rc. 58-62 Heat Treated
- ◆ German Grade Steel



Spanner Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
SP-025-06	#6 X 1"		SPANNER	25
SP-025-08	#8 X 1"		SPANNER	25
SP-025-10	#10 X 1"		SPANNER	25
SP-025-12	#12 X 1"		SPANNER	25
SP-025-14	#14 X 1"		SPANNER	25



Hex Tamper Insert Bits - 1/4" Hex


Part #	Size	OAL	Type	Qty.
TH-25-332	3/32" X 1"		HEX TAMPER	25
TH-25-018	1/8" X 1"		HEX TAMPER	25
TH-25-964	9/64" X 1"		HEX TAMPER	25
TH-25-532	5/32" X 1"		HEX TAMPER	25
TH-25-316	3/16" X 1"		HEX TAMPER	25
TH-25-732	7/32" X 1"		HEX TAMPER	25
TH-25-014	1/4" X 1"		HEX TAMPER	25
TH-25-516	5/16" X 1"		HEX TAMPER	25



For TAMPER RESISTANT Torx® Screws

Star Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TT-025-08	T8 X 1"		STAR TAMPER	25
TT-025-09	T9 X 1"		STAR TAMPER	25
TT-025-10	T10 X 1"		STAR TAMPER	25
TT-025-15	T15 X 1"		STAR TAMPER	25
TT-025-20	T20 X 1"		STAR TAMPER	25
TT-025-25	T25 X 1"		STAR TAMPER	25
TT-025-27	T27 X 1"		STAR TAMPER	25
TT-025-30	T30 X 1"		STAR TAMPER	25
TT-025-40	T40 X 1"		STAR TAMPER	25



Tri-Wing® Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TRI-25-01	#1 X 1"		TRI-WING	25
TRI-25-02	#2 X 1"		TRI-WING	25
TRI-25-03	#3 X 1"		TRI-WING	25



For TAMPER RESISTANT Torx® Screws

Star Tamper Insert Bits - 5/16" Hex

Part #	Size	OAL	Type	Qty.
TT-032-45	T45 X 1-1/4"		STAR TAMPER	25
TT-032-50	T50 X 1-1/4"		STAR TAMPER	25
TT-032-55	T55 X 1-1/4"		STAR TAMPER	25




Phillips® Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TP-025-02	#2 X 1"		PHILLIPS TAMPER	25
TP-025-03	#3 X 1"		PHILLIPS TAMPER	25



- ◆ S2 Modified Steel
- ◆ Rc. 58-62 Heat Treated
- ◆ German Grade Steel





Bit Holders - Stainless Steel - Magnetic



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-020-RC	1-3/4"	7/16"	NO	2PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-040-RC	1-13/16"	7/16"	YES	1PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-060-RC	2-5/8"	7/16"	YES	1PC. CONSTRUCTION

BH-060-40 made of Chrome Vanadium.



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-060-40	2-5/8"	3/8"	NO	2PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-075-14	3"	7/16"	NO	2PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-075-14R	3"	7/16"	YES	2PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-075-RC	3"	7/16"	YES	1PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-100-TR	3"	7/16"	THREADED	1PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-100-RC	4"	7/16"	YES	1PC. CONSTRUCTION



Part #	OAL	Body Dia.	Retaining Ring	Description
BH-150-RC	6"	7/16"	YES	1PC. CONSTRUCTION

Bit Holders - Special Application - Magnetic

Part #	OAL	Body Dia.	Retaining Ring	Description
BH-050-LK	2"	9/16"	YES / LOCK	SNAP LOCK HOLDER
BH-075-LK	3"	9/16"	YES / LOCK	SNAP LOCK HOLDER



Pull back system locks in bits.

Part #	OAL	Body Dia.	Retaining Ring	Description
BH-075-SL	3"	7/16"	NO	SLEEVE GUIDE HOLDER
BH-125-SL	5"	7/16"	NO	SLEEVE GUIDE HOLDER



Sleeve extends up to 8" (on 5" length sleeve guide) to hold screw while fasteneing.

Part #	OAL	Body Dia.	Retaining Ring	Description
FX-075-01	7-1/4"	1/2"	YES / BALL	FLEXIBLE BIT HOLDER



Flexible shaft can bend up to 90° for those hard to reach areas.

Part #	OAL	Body Dia.	Retaining Ring	Description
QUI0001	1-3/4"	13/16"	LOCK	METAL/SPRING OUT



Chucks have a quick insert / quick spring out system for easy bit changing. Locks in bits. Use with 2"+ POWER bits only!!!

Part #	OAL	Body Dia.	Retaining Ring	Description
DC-075-01	3"	9/16"	LOCK	POWER STOPPER



Use with any 1" bit tips. Adjustable depth prevents over-driving screws into material. Magnetic.

Lag Driver / Ceiling Tile Hanger Driver

Part #	Size	Type	Qty.
CE-075-14SL	7/16" X 2-3/16"	LAG DRIVER WITH SLEEVE	10

