




J e t - L u b e o f C a n a d a L t d .

FOOD GRADE

Anti-Seize, Sealants and Lubricants





FOOD GRADE

Anti-Seize, Sealants and Lubricants

Featured Products

Arctic - Low Temperature Service Grease

CC-Lube - Clean, Clear, Semi-Synthetic Multi-Purpose Lubricant

Clean-Up Plus - Organic Solvent Cleaner/Degreaser

EMS - Water Based Food Grade Silicone

FMG - Food Machinery Grease

Food Grade Silicone

JL-5000 - Environmentally Safe Water Based Cleaner & Degreaser

Magic Wrench - Super Penetrant

Oven Chain Lube - Non-Melting Lubricant

Renew - Belt Dressing

V-2 - Multi-Purpose PTFE Thread Sealant

White Knight - Food Grade Anti-Seize

White Lithium - All-Purpose Grease with PTFE



Qualifying products will
bear the thumbprint.

For a complete listing of our products visit: www.jetlubecanada.com

Arctic Low Temperature Service Grease



Operating Range -54°C to 106°C (-65°F to 225°F)

Particularly suitable for use in extreme cold environments, such as cold rooms, cold storage lockers, ice plants and on refrigeration or cold storage equipment.

SKU #	Size
35050	400 g cartridge
35016	35 lb pail
35029	400 lb drum

CC-Lube™ Clean, Clear, Semi-Synthetic Multi-Purpose Lubricant



Operating Range -18°C to 204°C (0°F to 400°F)

A clean, clear, colorless, non-staining, non-drying and biodegradable lubricant, that may be safely used on a variety of surfaces, including metal, plastic, rubber, vinyl, nylon and stainless steel in a multitude of food processing applications.

Unsurpassed in reducing friction, extends machine and equipment life and prevents the formation of rust and corrosion over a broad temperature range. CFIA approved and NSF (H-1) authorized for use in federally inspected meat and poultry plants.

SKU #	Size
70550	14 oz cartridge
70623	1-US gal pail
70516	35 lb pail
70524	120 lb keg
70529	400 lb drum



Clean-Up Plus™ Organic Solvent Cleaner & Degreaser



29 KV dielectric strength

Specially formulated and designed to quickly dissolve and rinse away dirt, grease, grime, oil, tar and wax, while being both environmentally safe and ozone friendly. Ideal for a wide range of food production cleaning applications. Safe on all metals and most plastics. NSF registered (C1)

SKU #	Size
72542	15 oz aerosol
72535	5-US gal pail

EMS™ Water Based Food Grade Silicone



Operating Range 1°C to 260°C (34°F to 500°F)

Recommended for use in food processing plants on conveyors, guides, roller chains, bakery equipment, racks, cookers, and in bottling and packaging applications. When applied, it stops sticking, squeaking and binding of moving parts.

Provides a long-wearing, moisture resistant, non-toxic film that will not melt or become rancid. CFIA listed for use in federally inspected meat and poultry plants.

SKU #	Size
52543	16 oz trigger spray
52533	1-US gal jug
52535	5-US gal jug



FMG™ Food Machine Grease



Operating Range -18°C to 204°C (0°F to 400°F)

Formulated to perform in a wide variety of operating conditions. In food processing machinery, it is recommended for the lubrication of roller, needle, ball, journal and slide bearings. May have incidental contact with food items. CFIA approved and NSF registered (H1).

SKU #	Size
30150	14 oz cartridge
30106	5 lb pail
30116	35 lb pail
30129	400 lb drum



Food Grade Silicone



Operating Range -17°C to 177°C (0°F to 350°F)

Excellent for use on processing in all types of food and food related industries, where incidental food contact may occur. Can be used on chutes, guides, conveyors, bottling machinery, slicers, ovens, freezers, knives, saws, etc. CFIA approved for use in federally inspected meat and poultry plants. NSF registered (H1).

SKU # 50641
Size 325 g aerosol



JL-5000™ Water Based Cleaner & Degreaser



Operating Range 0°C to 100°C (32°F to 212°F)

The safest and most effective cleaner/degreaser available today! To be used on food processing machinery for an effective removal of carbon, grease, oil and other organic deposits, while being both environmentally safe and ozone friendly. Safe for use on all metal parts and most plastics. When applying, follow the dilution ratio instructions. CFIA approved and NSF registered (A1, B2, C1).

SKU # 71043
Size 16 oz trigger spray
71033 1-US gal jug
71035 5-US gal jug
71029 50-US gal drum



Magic Wrench® Super Penetrant



Operating Range -51°C to 177°C (-60°F to 350°F)

A premium, synthetic product that may be used as a light machine oil, penetrating oil or rust preventive. Excellent for use on equipment and machine items, such as chains, linkages, cams and slides, stirrups on bottle-filling machines, valves, pins, hinges, cables, etc. Is also an ideal product for the lubrication and conditioning of air tools. CFIA approved and NSF registered (H1).

SKU # 39541
Size 13 oz aerosol
39533 1-US gal jug
39535 5-US gal jug



Oven Chain Lubricant



Operating Range -32°C to 400°C (-25°F to 750°F)

State-of-the-art answer to oven chain lubrication! Derived from a carefully evolved blend of high viscosity, non-smoking, low odor synthetic fluids and surface tension modifiers. These additives lower the surface tension of the high viscosity fluids allowing them to move effectively to penetrate into the links and pins of the chains, to provide optimum performance, while operating at elevated temperatures. NSF registered (H1).

SKU # 33216
Size 35 lb pail
33224 120 lb keg
33229 400 lb drum



Renew Belt Dressing



Drying time 20 minutes

Excellent for use on flat, round and V-style conveyor belts. Chemically stable, non-drying and water resistant for maximum efficiency. Removes residual build-up and will not glaze or collect dirt and dust. May be applied while belts are in operation. USDA authorized for use in federally inspected meat and poultry plants. NSF registered (P1).

SKU # 50941
Size 12 oz aerosol

V-2™ Multi-Purpose PTFE Thread Sealant



Operating Range -56°C to 260°C (-70°F to 500° F)
69000 kPa liquids 14000 kPa gases

A soft setting non-petroleum based sealant designed for use with potable water, liquids and gases where immediate pressurization is desirable or required. May be used on steel, aluminium, brass, copper, iron, reinforced fiberglass, polyethylene, PVC and CPVC. Recommended for threaded pipes carrying air, CO₂, diesel fuel, H₂S, inert gases, refrigerants, etc., (specifications of all mediums available upon request). Pressures to 10,000 Psi for liquids and 2,000 Psi for gases. NSF registered (P1).

SKU #	Size
22002	225 ml brush top
22004	1 liter jar
22005	5 liter pail
22010	10 liter pail
22055	55 liter keg

White Knight™ Food Grade Anti-Seize Compound



Operating Range -54°C to 982°C (-65°F to 1800°F)

A premium quality anti-seize compound, specifically developed for use in applications where incidental food contact is possible. Protects metal parts from seizure, galling, rust, corrosion and heat freeze. Can be used in various applications, such as bottling machinery, packaging machinery, valve assemblies, stainless steel fitting, worm gears, etc. CFIA approved for use in federally inspected meat and poultry plants and NSF registered (H1).

SKU #	Size
16402	1/2 lb brush top
16404	1 lb brush top
16423	1-US gal pail



White Lithium Grease All-Purpose Grease with PTFE



Operating Range -18°C to 190°C (0°F to 370°F)

A premium all-purpose grease that provides superior performance and protection for metal-to-metal (moving) parts; it penetrates and forms a long-lasting protective film to withstand heavy loads and high speeds; prevents rust and corrosion, eliminates squeaks and squeals and will not run or wash away. To be applied in areas without direct food contact. CFIA approved for use in federally inspected meat and poultry plants and NSF registered (H2).

SKU #	Size
50350	14 oz cartridge
50341	13 oz aerosol
50305	1 lb can
50316	35 lb pail
50324	120 lb keg

Jet-Lube products listed alphabetically

12/34	Ezy-Open	Jet-Plex EP	O	T
202 Moly-Lith	Ezy-Pak 100	JetPump	OG-H	Temp-Guard
550	Ezy-Pak 115		Oven Chain Lubricant 	TF-15
769	Ezy-Pak 120	K		TF-500
A	Ezy-Pak 125	Kiln Grease	P	TFW
Alco EP	Ezy-Turn 2	Kollar King	Petro-Tape	Top Gun
Alco-EP ECF 	Ezy-Turn 3	Kopr-Kote	PFPE Grease	Tuff E Nuff
Alco-EP 73 Plus	Ezy-Turn 3 Arctic	Korr-Guard	Pitless Adapter Lube 	
AP-1 White	Ezy-Turn 4	Kovr-Kote	Plumber's Pal	U
AP-5	Ezy-Turn 5		Powr-Kote	Ultra
API-Modified Arctic	Ezy-Turn 6	L	PS Terminal	
API-Modified	Ezy-Turn 8	Lapping Oil		V
Arctic Grease	Ezy-Turn 12	LBX -Special	R	V-2
AX-2	Ezy-Turn 14	Lite Knight	RD-N	
	Ezy-Turn 22		RD-P	W
	Ezy-Turn Body Fill	M	Renew	Well-Guard 
B	Ezy-Turn H ₂ S	Magic Wrench 	Riser Bolt Lube	White Knight 
Bullseye 	Ezy-Turn Polar	Marine Kopr	Rubber Lubricant/Mold Release	White Lithium
	Ezy-Turn PVS	Marine Moly	RuFF 9	Wire Line Lubricant ECF 
C		Marine MP	RuFF 21	WLD
CableLube	F	Marine Wire Rope & Hawser Grease	Run-N-Seal	WRL
CB-2	FMG 	Moly-Arc	Run-N-Seal ECF 	Z
CC-Lube 	Food Grade Silicone 	Moly-Mist	Rust Guard	Z-50
Clean-Up		Moly Petrolatum		Z-Plate Aerosol
Clean-Up Plus	G	Moly-Arc	S	Zinc Petrolatum
Creeper-Lube	Gear-Guard	MotherCutter 	Seal Guard	
	Graphite Petrolatum	MP-50	Seal-Guard ECF 	
E			Sheen Free 	
Easy-Clean	J	N	Silicone Compound DM	
Easy-Clean Liquid	J-75	NCS-30	Silicone Spray	
ECF Anti-Seize 	J-89	NCS-30 ECF 	Silver Plus	
Eco-Safe 	JL-5000 	Nikal	SS-30	
EMS 	Jacking System Grease ECF 	Nikal Nuclear		
Enviro-Guard 	Jet-Lok PS-50	No. 33		
Enviro-Safe	Jet-Lok PS-67	No. 60		
EP Bearing Grease	Jet-Lok TL-72	Nuclear Nonmetallic		
Extreme	Jet-Lube 21			



Qualifying products will bear the thumbprint.

www.jetlubecanada.com



Jet-Lube of Canada Ltd. was established in Edmonton, Alberta in 1954 to take advantage of the oil boom ushered in by Leduc oil discovery and to serve the surge of the new Oil Patch. The first products manufactured were primarily thread compounds designed for the drilling and production industries. By focusing on product quality and reliability, Jet-Lube soon became a dominant force in the niche industry of oilfield thread compounds.

In the mid 1970's the product line was diversified to include MRO (Maintenance, Repair, Overhaul) products such as anti-seize compounds, thread sealants, greases and lubricants, cleaners and degreasers, etc. – products that virtually every industry uses in some part of their operations. The same care and attention to quality has quickly brought us to the fore as a world leader in the manufacture of thread compounds and specialty lubricants. New products are constantly being developed to address new technology and environmental concerns.

Since the late 1980s, Jet-Lube has led the way in the development of environmentally-acceptable lubricants, sealants and related specialty products. After years of reformulation and testing, Jet-Lube now offers industries around the world a complete line of environmentally acceptable products that exceed industry standards and meet Jet-Lube's own high-performance criteria. Qualifying products bear our "Eco-Certified" thumbprint.

In 1995 Jet-Lube was one of the first manufacturing companies in Canada to receive the ISO 9000 series certification and in 2008 upgraded to the 9001:2008 standard.

Over the past decade warehouse facilities have been added across Canada to better serve our customers from coast to coast. While Jet-Lube of Canada Ltd. continues to be inspired by the potential for further growth, the prime commitment will always be to customer satisfaction.

We are always happy for the opportunity to talk to our customers and potential customers about our products and about specific applications. If we don't have a product on the shelf that will help, ask us about developing or modifying a product specifically for your application. Solving problems is what helps us grow!





CONTACT US

Head Office

3820-97 Street NW
Edmonton, Alberta T6E 5S8

Toll Free Ph: 1-888-771-7775
Local Phone: (780) 463-7441

Toll Free Fax: 1-888-449-4449
Fax: (780) 463-7454

sales@jetlubecanada.com
www.jetlubecanada.com

Vice President & General Manager
Gary McCormick
garym@jetlubecanada.com

National Sales & Marketing Manager:
Jim McLaws
jdm@jetlubecanada.com

Technical Service:
Neil Ruel
neilr@jetlubecanada.com

Inside Sales:
Maleena Carreiro
maleenab@jetlubecanada.com



Copyright©2012 - All images, photographs, logos and content are the property of Jet-Lube Inc. and Jet-Lube of Canada Ltd. These files are provided for information only and cannot be altered, disseminated or used in any way except by express permission of Jet-Lube of Canada Ltd.

