




J e t - L u b e o f C a n a d a L t d .

MARINE

Anti-Seize, Sealants and Lubricants





MARINE

Anti-Seize, Sealants and Lubricants

Featured Products

12/34 - Lubricant and Penetrant

Alco-EP ECF - Extreme Service Multi-Purpose Grease

Cable-Lube - Wire Rope and Chain Lubricant

JL-5000 - Water Based Cleaner and Degreaser

Marine-Kopr - Copper Anti-Seize Compound

Marine-Moly - MoS₂ Paste

Marine MP - Multi-Purpose Grease

Marine Wire Rope & Hawser Grease - High Performance Grease

PS Terminal - Electrical Contact Cleaner

Rust Guard - Corrosion Inhibitor

Sheen-Free - Wire Rope Preservative and Lubricant

Silicone Spray - Industrial Grade Lubricant



For a complete listing of our products visit: www.jetlubecanada.com

12/34 Lubricant and Penetrant



Operating Range -75°C to 150°C (-100°F to 300°F)

The foremost penetrating, moisture displacing, lubricating and corrosion preventative available today! Unequaled where salt water, salt spray or other harsh environments are encountered. Provides superior protection and anti-wear properties, penetrates into rusted, corroded and frozen metal parts, which will be easily loosened by means of superior 'creepability'. Removes moisture and prevents rust and corrosion.

SKU #	Size
37341	340 g aerosol
37343	500 ml trigger spray
37316	4 liter can
37320	20 liter pail
37375	205 liter drum

Alco-EP ECF Extreme Service Multi-Purpose Grease



Operating Range -32°C to 232°C (-25°F to 450°F)

Specially formulated and developed for subsea or other conditions where extreme water resistance is necessary. Extremely resistant to rust and corrosion and is ideally suited for use in high-moisture areas. Can also be used in areas where tolerances are low and/or speeds are high.

SKU #	Size
37150	14 oz cartridge



CableLube Wire Rope & Chain Lubricant



Operating Range -57°C to 200°C (-70°F to 392°F)

Today's no. 1 wire rope lubricant and penetrant. When being applied, it will flow freely and will penetrate into the core of the wire rope. After being applied, the lube will set and become thicker, which helps it to stay put. As such, it will drastically reduce friction and this reduction in friction reduces micro-pitting and micro-fissions, thus reducing stress and fatigue fractures from forming in the wire rope. The result is a longer cable life, less downtime, less cost and more production.

SKU #	Size
CableLube	
306820	20 liter pail
306875	205 liter drum
Aerosol	
304741	370 g aerosol
CableLube Arctic	
304720	20 liter pail
304775	205 liter drum

JL-5000™ Water Based Cleaner & Degreaser



Operating Range 0°C to 100°C (32°F to 212°F)

The safest and most effective cleaner/degreaser available today! Can effectively be used for the removal of carbon, grease, oil and other organic deposits, while being both environmentally safe and ozone friendly. Safe to use on all metal parts and most plastics. When applying, follow the dilution ratio instructions.

SKU #	Size
71043	16 oz trigger spray
71033	1-US gal jug
71035	5-US gal jug
71029	50-US gal drum



Marine-Kopr™ Copper Anti-Seize Compound



Operating Range 54°C to 982°C (-65°F to 1800°F)

Recommended for use on all marine threaded and flanged connections to prevent galling, seizure and heat welding, and to reduce torque requirements. Prevents rust and corrosion over broad temperature ranges. Manufactured to exacting marine specifications ensuring extra protection in extreme marine conditions.

SKU #	Size
09702	1/2 lb brush top
09704	1 lb brush top

Marine Moly™ Molybdenum Disulphide Lubricating Paste



Operating Range --185°C to 400°C (-300°F to 750°F)

Extremely resistant to water, withstands extreme weather elements and helps prevent corrosion on metal exposed to water, steam, salt spray, etc. Can be applied on highly loaded gears, loading racks and arms, marine transmission gears, open spur gears and sliding bases.

SKU #	Size
65005	1 lb plug top
65041	12 oz aerosol

Marine-MP Multi-Purpose Grease



Operating Range -18°C to 163°C (0°F to 325°F)

Ideal for a multitude of "on-board" applications where both economy and performance are important. Can be used on pivot pins, plain bearings, anchor cables, anti-friction bearings and hoist lines. Is water resistant, highly tenacious and has excellent resistance to the effects of salt spray, heat, water, oxidation and other adverse conditions common to marine usage.

SKU #	Size
63050	14 oz cartridge
63016	35 lb pail

Marine Wire Rope & Hawser Grease™ High Performance Lubricant



Operating Range -18°C to 163°C (0°F to 325°F)

A high performance lubricant for wire ropes, hawser ropes and related applications requiring a water resistant, tenacious product that resists the effects of fresh and salt water spray, oxidation, humidity, heat and other adverse conditions, which are common to marine applications. Maintains and extends the life and performance of the ropes by providing a non-drying film on the outside of the rope. This film protects the rope from corrosion, while lubricating the inner strands, drums and sheaves.

SKU #	Size
34516	35 lb pail

PS Terminal™ Electrical Contact Cleaner



35 KV dielectric strength

To be used for the removal of dirt, grease and organic contaminants from electrical and electronic components and equipment. Because of its formula (a blend of HFC solvents) it will not damage the environment or ozone levels. When applied it evaporates leaving a residue-free surface.

SKU #	Size
60242	454 g aerosol

Rust-Guard™ Corrosion Inhibitor



Operating Range -30°C to 138°C (-20°F to 280°F)

To be used to provide a long-term protection against rust and corrosion on all metal and alloy surfaces, even under harsh environmental conditions, such as water, high humidity or salt spray. Will fully penetrates into even the smallest crevices to displace moisture.

SKU #	Size
13241	11 oz aerosol
13233	1-US gal can
13235	5-US gal pail
13229	50-US gal drum

Sheen-Free™ Wire Rope Lubricant/Preservative



Operating Range -10°C to 205°C (-14°F to 400°F)

Ideal for standing rigging, where a water resistant coating is necessary and for running rigging, where the performance is a must. Also recommended for bright/black wire, stainless steel and galvanized cables for mooring and lashing applications. SHEEN-FREE's protective film is a **non-hazardous, biodegradable, non-sheening** preservative and lubricant, which makes it an ideal product for the marine industry.

SKU #	Size
33720	5 gal US pail
33724	15 US gal drum
33729	50 US gal drum

Silicone Spray Industrial Grade Lubricant



Operating Range -17°C to 177°C (0°F to 350°F)

Silicone Spray is a multi-purpose product that lubricates, waterproofs and protects equipment and tools. It provides high-performance lubrication and corrosion protection on locks, hinges, chains, pulleys, fans, electrical parts such as distributors, ignition wires, spark plugs and more. Silicone Spray is a professional formula that is safe for use on metal, rubber, wood, or vinyl and electrical parts. It is excellent lubricant for applications in wet environments such as automotive, aerospace, agriculture, construction, mining, oil and gas or valve maintenance.

SKU #	Size
50741	300 g aerosol

Jet-Lube products listed alphabetically

12/34

202 Moly-Lith

550

769

A

Alco EP

Alco-EP ECF 

Alco-EP 73 Plus

AP-1 White

AP-5

API-Modified Arctic

API-Modified

Arctic Grease

AX-2

B

Bullseye 

C

CableLube

CB-2

CC-Lube 

Clean-Up

Clean-Up Plus

Creeper-Lube

E

Easy-Clean

Easy-Clean Liquid

ECF Anti-Seize 

Eco-Safe 

EMS 

Enviro-Guard 

Enviro-Safe

EP Bearing Grease

Extreme

Ezy-Open

Ezy-Pak 100

Ezy-Pak 115

Ezy-Pak 120

Ezy-Pak 125

Ezy-Turn 2

Ezy-Turn 3

Ezy-Turn 3 Arctic

Ezy-Turn 4

Ezy-Turn 5

Ezy-Turn 6

Ezy-Turn 8

Ezy-Turn 12

Ezy-Turn 14

Ezy-Turn 22

Ezy-Turn Body Fill

Ezy-Turn H₂S

Ezy-Turn Polar

Ezy-Turn PVS

F

FMG 

Food Grade Silicone 

G

Gear-Guard

Graphite Petrolatum

J

J-75

J-89

JL-5000 

Jacking System Grease ECF 

Jet-Lok PS-50

Jet-Lok PS-67

Jet-Lok TL-72

Jet-Lube 21

Jet-Plex EP

JetPump

K

Kiln Grease

Kollar King

Kopr-Kote

Korr-Guard

Kovr-Kote

L

Lapping Oil

LBX -Special

Lite Knight

M

Magic Wrench 

Marine Kopr

Marine Moly

Marine MP

Marine Wire Rope & Hawser Grease

Moly-Arc

Moly-Mist

Moly Petrolatum

Moly-Arc

MotherCutter 

MP-50

N

NCS-30

NCS-30 ECF 

Nikal

Nikal Nuclear

No. 33

No. 60

Nuclear Nonmetallic

O

OG-H

Oven Chain Lubricant 

P

Petro-Tape

PFPE Grease

Pitless Adapter Lube 

Plumber's Pal

Powr-Kote

PS Terminal

R

RD-N

RD-P

Renew

Riser Bolt Lube

Rubber Lubricant/Mold Release

RuFF 9

RuFF 21

Run-N-Seal

Run-N-Seal ECF 

Rust Guard

S

Seal Guard

Seal-Guard ECF 

Sheen Free 

Silicone Compound DM

Silicone Spray

Silver Plus

SS-30

T

Temp-Guard

TF-15

TF-500

TFW

Top Gun

Tuff E Nuff

U

Ultra

V

V-2

W

Well-Guard 

White Knight 

White Lithium

Wire Line Lubricant ECF 

WLD

WRL

Z

Z-50

Z-Plate Aerosol

Zinc Petrolatum



Qualifying products will
bear the thumbprint.

www.jetlubecanada.com



Jet-Lube of Canada Ltd. was established in Edmonton, Alberta in 1954 to take advantage of the oil boom ushered in by Leduc oil discovery and to serve the surge of the new Oil Patch. The first products manufactured were primarily thread compounds designed for the drilling and production industries. By focusing on product quality and reliability, Jet-Lube soon became a dominant force in the niche industry of oilfield thread compounds.

In the mid 1970's the product line was diversified to include MRO (Maintenance, Repair, Overhaul) products such as anti-seize compounds, thread sealants, greases and lubricants, cleaners and degreasers, etc. – products that virtually every industry uses in some part of their operations. The same care and attention to quality has quickly brought us to the fore as a world leader in the manufacture of thread compounds and specialty lubricants. New products are constantly being developed to address new technology and environmental concerns.

Since the late 1980s, Jet-Lube has led the way in the development of environmentally-acceptable lubricants, sealants and related specialty products. After years of reformulation and testing, Jet-Lube now offers industries around the world a complete line of environmentally acceptable products that exceed industry standards and meet Jet-Lube's own high-performance criteria. Qualifying products bear our "Eco-Certified" thumbprint.

In 1995 Jet-Lube was one of the first manufacturing companies in Canada to receive the ISO 9000 series certification and in 2008 upgraded to the 9001:2008 standard.

Over the past decade warehouse facilities have been added across Canada to better serve our customers from coast to coast. While Jet-Lube of Canada Ltd. continues to be inspired by the potential for further growth, the prime commitment will always be to customer satisfaction.

We are always happy for the opportunity to talk to our customers and potential customers about our products and about specific applications. If we don't have a product on the shelf that will help, ask us about developing or modifying a product specifically for your application. Solving problems is what helps us grow!





CONTACT US

Head Office

3820-97 Street NW
Edmonton, Alberta T6E 5S8

Toll Free Ph: 1-888-771-7775
Local Phone: (780) 463-7441

Toll Free Fax: 1-888-449-4449
Fax: (780) 463-7454

sales@jetlubecanada.com
www.jetlubecanada.com

Vice President & General Manager

Gary McCormick
garym@jetlubecanada.com

National Sales & Marketing Manager:

Jim McLaws
jdm@jetlubecanada.com

Technical Service:

Neil Ruel
neilr@jetlubecanada.com

Inside Sales:

Maleena Carreiro
maleenab@jetlubecanada.com



Copyright©2012 - All images, photographs, logos and content are the property of Jet-Lube Inc. and Jet-Lube of Canada Ltd. These files are provided for information only and cannot be altered, disseminated or used in any way except by express permission of Jet-Lube of Canada Ltd.