

PROMOTION

From April 7th to May 31st, 2026

JEPSON POWER[®]
Inc.
Leading Through Innovation since 1984

**25%
OFF**



ART: 608295ENA
Cordless hand dry cutter 8"
8203E - The independent

With Ø 8" / 48T " LBS impact resistant" saw blade, for steel,
2 high performance 18V LiHD 5,5A batteries, air-cooled
LiHD high speed loading station 110V and carry case

Max. cutting capacities

	90°	45° (Bevel cut)
Round	2 5/8" x 1/4"	1 5/8" x 1/4"
Square	2 5/8" x 2 5/8" x 1/4"	1 5/8" x 1 5/8" x 3/16"
Angle	2 5/8" x 1/4"	1 5/8" x 1/4"
Sheet metal	3/8"	5/16"
Depth of cut	2 5/8"	1 5/8"

Technical specifications

Power input	18 V
No speed load	3,500 RPM
Weight	12 lb
Blade size	Ø 8"



List	PROMO
\$1,495.40	\$1,121.55



ART: 600560UST3
Premium super dry cutter 14"
9435 - The bestseller

With Ø 14" / 90T saw blade for steel and stainless steel


Max. cutting capacities

	90°	45°
Round	5 1/2" (inox: 5")	4"
Square	5" x 5"	3 1/8" x 3 1/8"
Angle	4 1/8" x 5 1/2"	3" x 4"

Technical specifications

Power input	21 amp
Voltage	115V/50Hz
No load speed	1,400 RPM
Weight	56 lb
Blade size	Ø 14"

List	PROMO
\$2,013.86	\$1,510.40



ITM



**45%
OFF**

Bimetal+ 8% Co
Tooth hardness Rc 65-67

DECAPITATOR

THE LONGEST ON THE MARKET

IDEAL FOR LARGE PIPES WHERE A 12" BLADE IS NOT SUITABLE



Reciprocating saw



Art.	Size	List	PROMO
CDM186	18" x 6 DEMOLITION / wood and nail (0.062" - 7/8") M42 / 3 per pack	\$115.40	\$63.47
CDM186B	18" x 6 DEMOLITION / wood and nail (0.062" - 7/8") M42 / 25 per pack	\$962.00	\$529.10



REBAR PUNCHER

45% OFF



- Use with a hammer action
- Industrial quality
- Tungsten carbide teeth
- Twice the speed

USE HAMMER ACTION!



REBAR PUNCHER



SDS-PLUS SHANK

Sold individually

Art.	Size	List	PROMO
RT-6	3/8" x 12"	\$143.41	\$78.88
RT-8	1/2" x 12"	\$221.67	\$121.92
RT-8-18	1/2" x 18"	\$283.78	\$156.08
RT-10	5/8" x 12"	\$247.38	\$136.06
RT-10-18	5/8" x 18"	\$293.51	\$161.43
RT-12	3/4" x 12"	\$274.28	\$150.85
RT-12-18	3/4" x 18"	\$301.83	\$166.01
RT-14	7/8" x 12"	\$279.60	\$153.78
RT-14-18	7/8" x 18"	\$307.70	\$169.24
RT-16	1" x 12"	\$287.75	\$158.26
RT-16-18	1" x 18"	\$399.68	\$219.82
RT-18	1-1/8" x 12"	\$367.57	\$202.16
RT-18-18	1-1/8" x 18"	\$411.67	\$226.42

REBAR CUTTER

STRAIGHT SHANK

ROTATION ONLY



Sold individually

Art.	Size	Rpm	List	PROMO
RBS-6	3/8" x 8"	850-1200	\$110.08	\$60.54
RBS-8	1/2" x 12"		\$115.21	\$63.37
RBS-9	9/16" x 12"		\$120.36	\$66.20
RBS-10	5/8" x 12"	750-1000	\$146.09	\$80.35
RBS-11	11/16" x 12"		156,37\$	\$86.00
RBS-12	3/4" x 12"	600-850	\$161.50	\$88.83
RBS-13	13/16" x 12"		\$197.53	\$108.64
RBS-14	7/8" x 12"		\$228.75	\$125.81
RBS-16	1" x 12"	500-750	\$243.83	\$134.11
RBS-18	1-1/8" x 12"		\$259.24	\$142.58
RBS-20	1-1/4" x 12"	450-600	\$274.66	\$151.06
RBS-22	1-3/8" x 12"		\$300.40	\$165.22
RBS-24	1-1/2" x 12"	350-500	\$315.83	\$173.71
RBS-28*	1-3/4" x 12"		\$349.43	\$192.19
RBS-32*	2" x 12"		\$475.36	\$261.45

* While stocks last

ROTATION ONLY



Sold individually

Art.	Size	Rpm	List	PROMO
RBC0838	3/8" x 8"	850-1200	\$93.97	\$51.68
RBC1212	1/2" x 12"		\$111.63	\$61.40
RBC1916	9/16" x 12"		\$115.56	\$63.56
RBC1258	5/8" x 12"	750-1000	\$132.68	\$72.97
RBC1116	11/16" x 12"		\$142.21	\$78.22
RBC1234	3/4" x 12"	600-850	\$150.73	\$82.90
RBC1834	3/4" x 18"		\$193.13	\$106.22
RBC1316	13/16" x 12"		\$177.47	\$97.61
RBC1278	7/8" x 12"	500-750	\$208.78	\$114.83
RBC1201	1" x 12"		\$224.46	\$123.45
RBC1218	1-1/8" x 12"	450-600	\$240.12	\$132.07
RBC1214	1-1/4" x 12"		\$255.79	\$140.68
RBC1238	1-3/8" x 12"	350-500	\$281.89	\$155.04
RBC1112	1-1/2" x 12"		\$300.68	\$165.37
RBC1134	1-3/4" x 12"		\$388.07	\$213.44
RBC1202	2" x 12"	350-500	\$584.62	\$321.54
RBC1222	2-1/2" x 12"		\$689.02	\$378.96

RATCHET TAP HOLDER

Right- and left-hand-turn, Steel

Art.	No.	For taps		Square mm	Length mm	LIST	PROMO
VD10001	1	M 3 - 10	1/8" - 3/8"	2.4 - 5.5	85	\$25.92	\$20.74
VD10002	2	M5 - 12	7/32" - 1/2"	4.5 - 8.0	100	\$32.02	\$25.62
VD10010	10	M 3 - 10	1/8" - 3/8"	2.4 - 5.5	250	\$42.69	\$34.15
VD10020	20	M 5 - 12	7/32" - 1/2"	4.5 - 8.0	300	\$51.84	\$41.47



20% OFF

DIE STOCKS

Inch - with 3 screws

Art.	Ø	LIST	PROMO
VD15520	13/16"	\$9.66	\$7.73
VD15525	1"	\$11.18	\$8.94
VD15538	1.1/2"	\$36.85	\$29.48
VD15550	2"	\$53.37	\$42.70
VD15563	2.1/2"	\$83.87	\$67.10
VD15576	3"	\$198.22	\$158.58
VD15588	3.1/2"	\$297.33	\$237.86
VD15599	4"	\$584.49	\$467.59



ADJUSTABLE TAP WRENCHES

DIN 1814 Zinc die cast

Art.	No.	For taps		LIST	PROMO
VD13000	0	M 1 - 8	1/16" - 1/4"	\$12.20	\$9.76
VD13010	1	M 1 - 10	1/16" - 3/8"	\$14.23	\$11.38
VD13015	1.1/2	M 1 - 12	1/16" - 1/2"	\$14.23	\$11.38
VD13020	2	M 4 - 12	5/32" - 1/2"	\$24.65	\$19.72
VD13030	3	M 5 - 20	7/32" - 3/4"	\$49.55	\$39.64
VD13040	4	M 11 - 27	7/16" - 1"	\$86.40	\$69.12
VD13050	5 L	M 13 - 32	1/2" - 1.1/4"	\$121.98	\$97.58



ata sgspro

ACCELERATOR

SETS OF 5 BURRS

NG6 - Extreme Material Removal

More than twice the performance of standard double-fluted burrs.
Fast cutting • Superior precision • Maximum productivity

20% OFF



Art. 19800

- 3/8"
- 1/4" shank

List	PROMO
\$213.18	\$170.54



Art. 19801

- 1/2"
- 1/4" shank

List	PROMO
\$312.69	\$250.15



Universal
Art. 18260

- 3/8" + 1/2"
- 1/4" shank
- Double cut
- Without coating

Liste	PROMO
\$237.29	\$189.83

Professional-Grade ATA Performance

- Rapid Material Removal
- More Uniform Grinding
- Precision CNC Machining
- 100% Inspection of Brazed Joints

Increased Productivity • Superior Finish • Professional-Grade Performance

MAGNETIC CORE DRILLING MACHINES

VALUETOOL

KA 35

New-generation HEAVY-DUTY slide system

- Hardened BLACKDUR rails – up to 5 times longer lifespan
- Dual slide rails (18.25" stroke)
- Internal self-lubrication
- Integrated cooling system
- Ultra-rigid structure + magnetic adhesion of 2,248 lbs
- Ergonomic and safe design

Accessories included

- Security belt
- 3 hex keys
- 2 rubber seals
- Bottle for coolant with hose



VALUETOOL



Swivel base 360°

FREE

When purchasing a **KA 35** magdrill



BDS
MASCHINEN

ZAP100

3/4" weldon shank
to 1/2" - 20
adapter



Porta
by FSEIN®

A13F12R

Keyed chuck
1/2" capacity
Mount style 1/2" - 20

KATSV 55 + KA 40

HEAVY-DUTY Twin Rail System

- Up to 10 times more stability
- Reduced friction = less wear and minimal maintenance
- Increased precision
- Extended cutter life and fewer breakages
- Cutting depth up to 4.33"

MAG-TEC Safety Sensor

- Green: Optimal magnetic force – safe to use
- Red: Inadequate surface – the motor will not start to protect the user and the tool



	KA 35	KA 40	KATSV 55
Art.	21.8013	208021020	208026020
Tool holder	(3/4") Direct Weldon	(3/4") Direct Weldon	(3/4") CM2 + Weldon
Core drill short	1-3/8"	1-9/16"	2-5/32"
Core drill long	1-3/8"	1-9/16"	2-5/32"
Core drill extra long	1-3/8"	1-9/16"	2-5/32"
Twist drilling	45/64"	45/64"	29/32"
Tapping	-	-	25/32"
Countersinking	1-3/16"	1-3/16"	1-9/16"
Reaming	-	-	25/32"
Speed 1	450	450	100-250
Speed 2	-	-	180-450
Internal coolant supply	✓	✓	✓
Sensor	-	✓	✓
Full wave control electronics	-	-	✓
Right/left rotation	-	-	✓
Overheating protection	-	-	✓
Stroke	4-23/32" up to 8-17/64" possible	6-31/32"	7-11/16"
Weight	23 lb	26 lb	29.8 lb
Magnetic adhesion	2,200 lbs	2,425 lbs	2,755 lbs
Power consumption	1,100 watts	1,100 watts	1,250 watts

PROMO

\$1,466

List: \$1,904

\$2,481

List: \$3,222

\$3,822

List: \$4,964

AVAILABLE AT YOUR LOCAL DEALER!

*Cannot be matched to any other promotion. The prices in this leaflet do not include applicable taxes.

